All FBIS Staff

5 December 1949

Chief, Okimawa Bureau, FBIS

Transfer of interim operation to Bolo Point

- 1. In an effort to assure an orderly transfer of personnel and property needed to activate the Bolo Point station for the interim operation at 8:00 Ak Monday, 12 December, the following procedure is established:
 - a. On the morning of Thursday, 8 December three (3) recorders will be moved from the present interim site and installed at the permanent site. This leavesthree (3) recorders for the balance of monitoring up to midnight. The Chief Editor will take steps to assure the maximum possible monitoring coverage for the day with the reduced number of recorders. Monitoring will be suspended between midnight 8 December, and 8:00 AM 18 December.

 | S(3 D 2 m 1) DEC.
 - b. From Friday, 9 December up to and including if necessary Sunday, 11 December, the remainder of all equipment, materials, files, and supplies will be transported to Bolo Point and made ready for use at 8:00 & Monday, 12 December.
 - c. The technical staff is expected to make all installations and run all necessary tests at the site to assure prompt and satisfactory resumption of the interim operation at 8:00 AM Monday, 12 December.
 - 2. Priority assignments in this transfer are set up as follows:

movement of all technical equipment and supplies, including recorders, teletype machines and typewriters from the present interim station, as well as for the assignment of personnel needed to load, transport and install the equipment and supplies at the permanent site and to make ready for use all technical facilities needed to resume monitoring at 8:00 AM Monday, 12 December.

Priority 2. will be responsible for the movement of alleditorial materials and supplies needed at the permanent site. It will see that the editors, monitors, code operators, and teletopists are duly informed on the changeover and that normal schedules are resumed on Monday, 12 December. It should be noted that all pickup times should be advanced one half hour beginning wonday, 12 December to allow for transportation time to Bolo Point.

Priority 3.

whicles, drivers and laborers for

accordance with Priorities 1 and 2. He will also be responsible
for the movement of the equipment and supplies of the interim administration office and their disposition at the Bolo Point site.

STAT

STAT

STAT

5. Technicians and monitors not om regular duty Friday, 9 December will be expected to assist in the move as directed respectively by

STAT STAT

- 4. Coordination in carrying out the above will be effected through the Bureau Chief.
 - 5. Memo of basic equipment to be transferred:
 - a. Six recorders
 - b. Ten transcribers
 - c. Fourteen typewriters
 - d. Twelve chairs
 - e. One case of belts

F. Paper (Monitoring Books)

STAT

OFFICE MEMORALIDUM

United States Government,

File

20

Bureau Chiefs

DATE:

23 November 1949

FROM

Chief. FRID

SUBJECT:

Activation of Okinava Bureau

Transmitted herewith is the TBID plan for the transfer of personnel and coverage from Kauai and Tokyo to Okinawa and Reseda with dates based upon the assumption that the Okinawa Bureau will be activated 1 January 1950.

L. K. WHITE

25X1

Distribution:

Chief, Tokyo Bureau Chief, Okinawa Bureau -

Chief, West Coast Bureau Chief, Havaii Bureau

Attachmont

Declassified in Part - Sanitized Copy Approved for Release 2012/10/31 : CIA-RDP07-00469R000102030001-1

Allocation of Kanai Coverage

*	63 .	* .	**
A.	3.0		seda

Lenguage	Manazam	Blue Inde	The target and the		
	Station	Time Ber	Priority	Total Hours	Staff Required
English	Changking	0800-0330			
	New Delhi	0300-0315			
#	n (1)	0730-0745		And the second second	
	ø	0830-0845			
		1030-1045			
***	Saigon	0500-0530			
				2	1 , 10
Korean	Noscow	0300-0330			
8	#	0430-0500			
	" (Sund	0700-0730 lay through !	Thursday)	1-1/2	
Japanese	lioscev	0400-0430			
0	R	0530-0600	.,		
#	*	0630-0715			
	n (Tues	0815-0845 day through	Saturday)		
#	Peiping	0605-0620			
				2-1/2	ing the L arge seasons
*** Mandarin	Hoscow	0230-0300	2		
#		0330-0400	2		
* 11.5	#	0500-0530	2		
	•	0600-0630	2		
	Peking	0730-0750	1		
*		0800-0815	1		

Lenguage	Station	Time ESZ	Priority	Total Hours	Staff Required
Nanderin	Peking	0815-0830	2		
. #	#	0930-0950	1		
#	#	1000-1100	2		
Cantonese	4	0700-0715	2		
Hus eral Cod	le Taipei	0600-0800	* 2 **		
# 47	\$	1000-1100	2 **	7- 5/12	3
English	Hong Kong	0605-0645		1-0/12	
llorse #	Hew Delhi	0330-0530			
Ü	***	0930-1030			
#	. #	1100-1400			
n	Poiping	0930-1230			
Ħ	Taipei	0200-0400			
a	II	0500-0600			
n		0900-1000			
#	Pokye	0030-0100			er de la companya de La companya de la co
#	*	0330-0400			
a	#	0430-0500			
**	#	0510-0600			
#	#	1920-1950			ergen (f. 1905) Sergen (f. 1905)
a	4	2130-2200			
Ħ		2330-2400			
#	Viet Han	0800-0900		18-1/2	8

^{*} Information available indicates this may not be the exact timing of the desired domestic newscast.

^{**} Practically perfect reception of the numeral code is requisite for translation. If reception is or becomes inadequate, Washington should be notified so that a reallocation of coverage can be made.

*** Moscow, Mandarin and Taipei numeral code have been assigned to priority two only because of prospective staff shortage. They should nevertheless be covered as completely as Monitors' workload permits. Felting priority one shows must be covered on a seven-day-per-week basis.

B. To Okinawa

		¥			
Lenguage	Station	Time EST	Priority	Total Hours	Stoff Required
English	Dacca	0700-0715 -			
	*	1015-1030 0			
#	Rangoon	1000-1015 0	•		
#	Taipei	0600-0615 v			1
Korean	Rhabarovsk	0630-0715 (not Sunday			
s)	Secul	0400-0415			
		0530-0535	•		
(*	0600-0615			
		0800-0830			
•	***	0900-0915 \		2-1/12	1
Japanese	Taipei	0505-0520	•	1/4	0
Manderin	Chungking	0800-0830	1 *		
#	•	0920-0930	- 1*		
		1030-1040	v1*		•
W	•	1200-1240	/ 1 *		
	Henkow	0500-0520	- 2		
**	#	0640-0655	L 2		
	#	0700-0715	L 2		
#	#	0925-1010	- 2		
*	Hong Kong	0500-0515	<u>ب</u> 2		
#	Hanking	0930-1000	v 2		



Lancuage	Station	Fine DST Prio	rity	Total Hours	Staff Required
Cendarin	Pelring	0030-0330 · 🗸 1	**		
n	Sinnghai	0530-9600 × 2			
a	a	0830-0845 2			
•	Taipei to F	E 0910-9920 V 1			
a	7 n n	1000-1120 > 1			
Centonese	Chungking	0835-0845 2 1	•		
	#	1000-1010 > 1	•		
Humoral Code	Poking	1200-1700. 1	••	14-7/12	6
English Horse	Rangoon	0200-0400 . 4 PM	.GAAT 0700		
# 170%####	•	0500-0545 · 7 PM	1000		
Ħ	#	1100-1145 . am	1600	3-1/2	1

^{*} The priority is based upon present Nationalist operation. If the station is lost to the Communists by 1 January, which seems a distinct possibility, this coverage will have to be re-evaluated according to its current status.

Full coverage of these two press transmissions is requested. However, it is urged that in order to minimize the expected duplication a system of item cues be worked out for the contents of one or both transmissions that only selected material be texted and filed.

II. Tokyo Coverage to be assumed by Okinawa

Language	Station	Time EST	Priority	Total Hours	Staff Required
Annanese	S. Vietnam	0500-0530	- 1		
4	#	0730-0800	1		
*	Saigon	0600-0615	1	1-1/4	1
		AA4F 4AAA .	•		
Chinese (Mandarin)	Moscow	0845-1000 (daily)			
		1700-1800 (daily)			
1	Mukilen	0500-0515			
		0600-0620			
#	• •	0635- 0650			
#	*	0845-0900			
•	#	0920-1030			
*	Taipei	0800-0830	- 1	5	2
English	Manila DZRH	1745-1800	V 2		
Ħ	Menila DZIM	1800-1815	✓ 2		
				1/2	1
Indonesian	Batavia	1730-1830 (not Sunda			
*		1830-1845 (not Sunda	v)	18 m	in the second se
数	8	0600-0616	1		
#	•	0700-0715 (irregular			
#		0700-0800	r 1	7	
#	f	0900-0915	2		
•	Jogjakarta	0630-0655	ν 1		
R	# 1	0730-0745	V 2		
n 2	n	0830-0845	レ 2		
Ħ	, #	0930-0940	V 2 2		

Languago	Station	Cine 1987	Priority	Total Hours	Staff Required
Indonesian	(morse)	0800-0700	2.		
Ħ	Noscow	0600-0630 V	.	6-7/12	8
Korean	PyonGyang	0400-0420	1		
*	#	0500-0515 -	. 1		
Ħ	#	0530-0545 -	1		
8	n	0600-0630 ~	3		
Ü	1	0800-0830 V	1		
#	n	0830-0845 L	1		
4	et #	0845-0900 L (not Sunday 0900-1000 L)		
6	a	1000-1100 -	1	4-1/3	2
Mongolian	Vlan Bator	0500-0530 ~	1		
彝	e n	0800-0815 ~	1		
#	n n	0900-0930 -	1		
11	Moscow	0845-0915 V	1		
#	Ulan Bator	1805-1826	2		
4	u n	1900-1916 ×	2		
n	lloscow	1930-2000 ~	2	2-5/6	1

Additional Coverage Assigned Okinewa

Lenguage	Station	Mme BSZ	Priority	Total Hours	Staff Required
Annanese	Hano1	0530-0630	2		
n	S. Vietnam	1900-1915 ~	2	1017	
11	Saigon	1800-1815	2	4.	
	Saigon(II)	0600-0615	2		
	Eluo	0435-0500	- 2		en in de la companya
				2-1/6	.
Durnose	Rancoon	0700-0710 ~ (Tu/Th)	1	•	
·	A	0735-0750 \((2u/V/Th/F)			
Ħ	24 11	0815-0845 L			
n	Toungoo	0700-0800 V	. 1		
Ħ	Rangoon	0800-0815	2		
ti .	Now Delhi	(irregular) 0615-0630	2		
H	Karachi	0835-0845 ~	3		
				2-7/12	1
Chinese (Handarin)	Shanghai (S.W.)	1815-1830	2		
B	ti i	1845-1915	2		
#	Shenghai (900)	1830-1845 -	2		
Ħ	A .	0430-0515 V	1		
Ħ	Taipei to	0000-0015 V	1		
6		1815-1830 V	1	entropy of the second s	
*	, # III	2330-2345	1		
n	M II	0150-0200 ~	1		•
(Centonese)		1900-1930 ~	2	· :	
#	(800)	0915-0945 L	- 2		
H	Taipei (to USA)	0045-0100 🗸	1	3-11/13	2 -

Lencuege	Station	Time HST	Priority	Makal Hawa	75. AA 75
				Total Hours	Staff Required
English	Toungoo	0800-0830 V	1		
**	Colombo (Home)	0850-0900 ~	1		
Ħ	Tangoon	0915-0925 \ (irregular)	2	5/6	1
Hindustani	Delhi/ Hyderabad	0930-0945 V	1		
#	Delhi	1045-1100	2		
*(Trau)	Karechi (Hone)	0710-0720 ~	1		
Ħ	0	1030-1045	1		
Ħ	Sumatra (7620)	Cruise	1		
Ħ	Sumatra (11640)	•	1		
A	Azad Kashmi	* **	1		
41	Lahore	0915 - 0930 × (Tuesday)	8	1-1/6	
Indonesian	Singapore (Home)	0745-0800 🗸	S		
n		Cruise	1	1/4	
Russian	Yakutek	Cruise	1		
4	Ulan Bator	0600-0620	1		
n	Irkutsk, via U.B.	0620 - 0640 Y	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
n	Yushno- Sakhalinsk	1640-1700	.	. 1 1.	
#	H	0245-0315	1		
Ħ	Nikolaevsk	0245-0330 🗸	2		
N	Hagadan	0235-0250 ~	S		
B	tt	0300-0315 🍾	1		
#	n	0600-0615 ~	2		
#1	Vladivostok	0200-0215 V (not Sunday)			
	•				

Language	Station	Pine EST	Priority	Cotal Hours	Staff Required	
Russian	Vledivostok		v 1		2	
•	(Misc.long- wave)	(not Sunday) Cruise		3-1/2		
Thai.	Banglaok	0740-0800 V	8			
#	(enoll)	0800-0830 v	1			
#	#	0830-0845 ~	1			
#	#	0900-0915 ×	2			
#	Ħ	1000-1015 V	1	•		
ø	Salgon	0545-0600 Y	2			
(Laotian)	fi	0530 - 0545 V	2	2-1/12	1	

IV. Operating Staff Requirement

A. Reseda

-	English	Kor-Jan	Chinese	Mon. Techs.	Toletype	Editors	Engineers	
Current T/O				·			2	25 X 1
On Duty								·
1950 T/O	2							
Required								
In Process	A							
y Transfer								
To be Recruit	ed							25X ²
		• · · · · · · ·		· · · · · · · · · · · · · · · · · · ·				

				-	-		•	
	Inclish	Russian	Kor-Jan	Chinese	SE Asia	Teletype	Editors	¬
Interim T/O								25X1
On Duty								
1950 7/0								. ,
Required								
In Process								
By Transfer								
To be Recruit	ied							25 X 1

* The following positions have been filled by transfer: Chief Editor-25X1
Cruising Technician-25X1

Analyst, Chief Monitor and P-3 Engineers are not included: however, it is planned that the Chief Monitor position will be filled by presently on duty 25X1 in Okinawa, and that the P-3 Engineer positions will be filled by transfer or by the SP-8s presently on duty at the Okinawa Bureau.

* Filled ...

- 11 - CONFIDERTIAL

. Schedule of Transfer *

A. To Reseda

1. By 1 December 1949. Have current Reseda T/O full with exception
of editorial vacancy, this to be filled at earliest practicable date. In
addition, enter on duty two monitoring technicisms and one Chinese monitor
by transfer from Kaugi, transferrees to be
with Peiping Chinese and Horse coverage.

25X1

2. By 15 December 1949. Transfer Code coverage.

with Taipei Horse and Mumeral

25X1

3. By 1 January 1950. Transfer from Kausi, from Okinawa and fill remaining T/O vacancies by transfer from Washington or recruiting at the earliest practicable date. Transfer remaining

25X1 25X1

25X1

B. To Okinewa

coverage.

1. By 1 January 1950. Transfer and the monitoring staff from Tokyo, staging transfer of Korean monitors to avoid coverage black-out. Fill remaining T/O vacancies at the earliest practicable date.

2. Discontinue Kausi and Tokyo monitoring.

All operating staff transfers by air.

VI. Disposition of Present Rausi Staff

A. Statement of Transfers

1.	no.	Mag	h4 n	gton
4.	7.0	MAGI	цап	TIOU

B.

٠.	<u>Hati</u>	POSITION	DATA OF TRANSFER	
٠.		Administrative Administrative Editorial Engineering	1 February 1950 1 February 1950 1 January 1950 1 January 1950	25X1
2.	To Okinewa			
	197801	POSITION	DAZZ OF TRANSPER	•
		Editorial English Monitor Monitor Engineering Engineering	1 Jamary 1950 1 Jamary 1950 1 Jamary 1950 1 Jamary 1950 1 Jamary 1950	25X1
3.	To Resede			
	IIVin	POSICION	DATE OF TRANSFER	
	• • •	English Honitor Honitor Honitor Honitor Engineering Engineering Engineering Engineering Engineering	28 November 1949 28 November 1949 12 December 1949 28 November 1949 22 January 1950 27 December 1949 28 November 1949 28 November 1949 16 December 1949	25X1
4.	To Tokyo			
	IIAID	POSITION	DATE OF TRANSFER	
		Editorial	1 January 1950	25 X 1
Res	ignations			
	HAVE	POSITION	REFECTIVE DATE	
		Monitor Monitor Teletypist Teletypist	3 December 1949 1 January 1950 31 January 1950 1 January 1950	25X1

C. Benarations

INVAIN	POSITION	DEFENDATIVE DAGE	
	English Monitor	1 January 1950	25X1
	lioni tor	1 January 1950	
	Mon itor	1 January 1950	
	Engineering	1 Jamery 1950	
	Engineering	1 January 1950	
	Teletypist	1 Jenuery 1950	
	Peletypist	1 Jamery 1950	
	Custodian	1 February 1950	
	Custodian	1 February 1950	
	Custodian	1 February 1950	

VII. Disposition of Procent Tokyo Staff

A. Statement of Transfers

1. To Weshington

NAME	O'AUWKOR!!		DATE OF TRANSFER	
	Classified Classified	*	1 January 1950	25 X 1

2. To Okinawa

NAUE	OATEICORY	DATE OF TRANSVER	
	Foreign Hational	1 Jamary 1950	25 X 1
	Foreign National	1 January 1950	
	Foreign National	1 January 1960	
	Foreign National	1 Jenuary 1950	•
	Foreign National	1 Jamuary 1950	
	Foreign National	1 January 1950	
	Foreign National	1 January 1950	
	Foreign National	1 January 1950	
	Classified	15 January 1950	
	Classified	28 November 1949	

B. Employees Remaining at Tokyo

HAND	CATEGORY	
	Foreign National	25X1
	Classified	
	Classified 4	•
	Classified	

0. Separations

HAME	CATEGORY	MINICIPAL DATE	
	Foreign National	26 November 1949	25 X 1
	Foreign National	· 1 Jamary 1950	•
	Foreign National	26 November 1949	-
	Foreign National	1 January 1950	
	Foreign National	1 January 1950	
	Foreign National	1 January 1950	•
	Foreign National	1 Jamary 1950	

- 15 -

office makethery. . Inited states severement

10 hirem hiers

DATE: 24 August 1949

mos, a Chief

Made Tr Activation of Okinama Bureau

1. Transmitted herewith is a tentative outline for the transfer of personnel and coverage from Mauai and Mokyo to Okinawa and Meseda with dates based upon the assumption that Okinawa Murcau will be completely activated 1 January 1950. The tentative character of indicated personnel transfers, several of which are subject to administrative clearance as well as operational determinations, is emphasized.

2. It is desired that each fureau subsit comments and recommendations on this subject after discussion with during his impending visit.

STAT

ILLEGIB

L. R. EHITE.

listribution

acting Chief, Tokyo duresu Chief, Okinswa Euresu Acting Chief, Sausi Suresu Chief, Sest Joset Suresu

Attachment

PKE: pod

Adm.Off. ,

TKE

I. Allocation of Kausi Soverage

A. lo nes	ega				Chinese	Sng lis h
Transmitter	anglish	Korean	Japanese	<u>Uhinese</u>	Sum. code	gorse
dungking	0800-0830			0735=0740 0815=0830 0400=0930 1045=1145		
Hone Kong					•	0605-0645
Hoseow		0300 033 .) 0430 05 00 07000730	0490-0430 0530-0600 0630-0700 0345-3715			
bew elhi	03:00-0315 0730-0745 08:30-0345 10:30-1045					03 30-053 0 0)3 0-1 030 11 00 -1 400
Peiping			0605-0620	054 5-0600 0630 - 0700 030)-0830 0900 -11 00	1200-1 730	0930 –1 230
Saigon	0500-0530					
bingapore	0415-0430					
T ai pei					0130-0200 0600-0700 1000-1100	0200 – 0400 0500 – 0600
Tokyo						9030-0100 0330-0400 0430-0500 0510-0600 1920-1950 2130-2200 2330-2400
Viet Nam						0/100-0900
liours total	2;	13	2	5	10	17
taff requir	ed 1		r'	` 4		3

War State

RESTRICTED

H. To Okinawa	o Okin	AMA
---------------	--------	-----

Transmitter	english	Korean	Japanuse	Chinese	nglish orse
Ban, ikok	0515-0530 0545-0555 0615-0630				
Tacca /	0700-0715 04 45-1 000				•
Sankow				0525-0635 0800-0320	
Hong Kong				0400-0430	
Khabarovsk		0630-0745	•		
Lahore	0945-1000			· 	
Henking				0500-0525 0300-0330 0330-1000	
Felping					
li a ngoon	1000-1015		* #		0200-0400 0500-0545 1100-1145
Secul		0300-0315 0500-0530 0700-0730			
Shanghei.				0430 - 0515 0300 - 0330	ILLEGIB
Singapore	0630-0645				
Taipel	0500-0515		0420-0435	0750-0300 0900-1000	
Nours total	2,	14			

Sours total

Staff required

1

REC

II. Operating Staff Requirement w

A. Roseda

	rnglish	Kor-J	ap Ch	inese	Von. Tochs	. Tele	t pe	Editors	· · ·
Current 1/0									STAT
On luty									
1950 1/0									
Required									
In Process									٤.
By Transfer									
AP4									STAT
To Be Recruite	a								
B. Ckins		•		******************************			· ·		
******** ****	vuCrrev	.ussian	vornet	(dritte	so ST Asia	sera chos	CLIC	ere ere	STAT
Interim I/O									
1950 T/O									
nequired									
In Process									
Dy Transfer									
To e Recruite	d								STAT

CP hal affect Konor

^{*} Chief Editor, Analyst, Chief Fonitor, Training Technician and P-3 Engineers not included.



Declassified in Part - Sanitized Copy Approved for Release 2012/10/31: CIA-RDP07-00469R000102030001-1 DECTON Maposition of Aprai Heff i. Addaistrative STAT emain to close out station. memain to close out station. Ukinawa 1 recember 1949. ditorial D. STAT mushing ton 1 January 1950 **Ckinawa** 1 damary 1950 Jidness 1 January 1350 inglish donitors No Vacaning at Present STAT kinawa 1 January 1950 .cseda -1 January 1950 Prop of East Car of 1 January 1950 Monitors STAT Reseda 1 December 1949 Odnama l January 1950 IL BOOM l lecember 1949 rop 1 January 1:50 STAT Tue 1 January 1950 cueda or (rop !!) 1 January 1950 Auselia or urop (7) 1 January 1950soda 1 January 1950 Adnama or :rop (:) 1 January 1950 in incering STAT eseda 1 January 1950 Tkinawa l January 1950 reseda 1 January 1950 Tierantle technical equipment; then: oor eneck 1 sebruary 1950 Beseda 1 lecember 1949 ESOJA 1 lecember 1949 'eseda 15 lecember 1949 1 January 1950 ikirawa. rop 1 January 1950 COL 1 January 1950 Tro : 1 Jenusry 1950

RESTRICTOR

Peclassified in Part - Sanitized Copy Approved for Release 2012/10/31: CIA-RDP07-00469R000102030001-1

RESTOR

F. Teletypiats

STAT

Reseda

1 January 1950

rop

rop.

rop

STAT

1 February 1950

1 Tebruary 1950

1 February 1950

arcraicted

Declassified in Part - Sanitized Copy Approved for Release 2012/10/31 : CIA-RDP07-00469R000102030001-1

Office Memorandum · UNITED STATES GOVERNMENT

TO	; Chief, Okinawa Bureau DATE: 14 December 1948	
FROM	: Chief, FBIB	
SUBJECT	r: Construction features and cost on the Okinawa Bureau Project	·
REFS.	:a. Memorandum dated 2 November 1948 from Chief, Okinawa Bureau, to Chief, FBIB, subject: General Information	
	b. Letter dated 4 November 1948 to White re club and maids' quarters	25X
	1. Since the one bidder on FBIS's Bolo' Point construction project reduced his bid formally from a different view can be taken on all features of the Okinawa project. It is now possible to construct all of the thirty-two planned quonset housing units. The Okinawa District Engineer has been instructed to award the housing area contract to Ricardo Mike Sunge in the bid amount of and the operations area contract to Yu Kim Teng in the revised bid amount of The following breakdown shows the present accounting of runds on this project: Funds available for project Low housing bid on 32 quonset units New Operations Area bid	25X 25X 25X1 25X
	All construction 5% contingencies	
	WOD furnished materials 32 quonset shells Ocean freight on above 28 refrigerators, 8 cubic feet Ocean freight on above 32 fuel oil tanks for housing unit Furniture for 32 quonset units Dishes and tableware 15% contingencies on above two items 9% government costs Presently obligated cost of project	25X1
	Funds available for additional work	

for this project are available for additional features and have not as yet been obligated. Concurrence of this office will be obtained before any additional features for this project are ordered, and before any obligation of the above mentioned funds is made. 4. It is estimated that an expenditure of an additional will be necessary in order to properly guy the rhombic antenna poles. Details of installing the anchorage for the antenna poles were discussed by during their recent review of the Okinawa plans and are repeated here as a matter of record and for your information and guidance; a. Each rhombic antenna pole should be anchored by three ground anchors with a pair of guys running from each anchor (one to the top and the other to the middle of the pole). b. Each of the three pairs of guys securing the rhombic antenna poles should be attached at equidistant points (120° apart). c. The necessary guy kits for this construction have been requisitioned. 5. At such time as it can be clearly determined that there will be funds available which are not necessary to complete the project as it is now planned, you may resubmit your plan for maids' quarters, a recreation building and a garage, or for whatever portion of such project as remains necessary after the possibilities of using local expedients described in references a and b have been exhausted.	3. As indicated above,	provided 2
will be necessary in order to properly guy the rhombic antenna poles. Details of installing the anchorage for the antenna poles were discussed by during their recent review of the Okinawa plans and are repeated here as a matter of record and for your information and guidance; a. Each rhombic antenna pole should be anchored by three ground anchors with a pair of guys running from each anchor (one to the top and the other to the middle of the pole). b. Each of the three pairs of guys securing the rhombic antenna poles should be attached at equidistant points (120° apart). c. The necessary guy kits for this construction have been requisitioned. 5. At such time as it can be clearly determined that there will be funds available which are not necessary to complete the project as it is now planned, you may resubmit your plan for maids' quarters, a recreation building and a garage, or for whatever portion of such project as remains necessary after the possibilities of using local expedients described in references a and b have been exhausted.	yet been obligated. Concurrence of this office wi any additional features for this project are order	ll be obtained before
during their recent review of the Okinawa plans and are repeated here as a matter of record and for your information and guidance; a. Each rhombic antenna pole should be anchored by three ground anchors with a pair of guys running from each anchor (one to the top and the other to the middle of the pole). b. Each of the three pairs of guys securing the rhombic antenna poles should be attached at equidistant points (120° apart). c. The necessary guy kits for this construction have been requisitioned. 5. At such time as it can be clearly determined that there will be funds available which are not necessary to complete the project as it is now planned, you may resubmit your plan for maids' quarters, a recreation building and a garage, or for whatever portion of such project as remains necessary after the possibilities of using local expedients described in references a and b have been exhausted.	will be necessary in order to properly guy the rho	mbic antenna poles.
the Okinawa plans and are repeated here as a matter of record and for your information and guidance; a. Each rhombic antenna pole should be anchored by three ground anchors with a pair of guys running from each anchor (one to the top and the other to the middle of the pole). b. Each of the three pairs of guys securing the rhombic antenna poles should be attached at equidistant points (120° apart). c. The necessary guy kits for this construction have been requisitioned. 5. At such time as it can be clearly determined that there will be funds available which are not necessary to complete the project as it is now planned, you may resubmit your plan for maids' quarters, a recreation building and a garage, or for whatever portion of such project as remains necessary after the possibilities of using local expedients described in references a and b have been exhausted.		· · · · · · · · · · · · · · · · · · ·
three ground anchors with a pair of guys running from each anchor (one to the top and the other to the middle of the pole). b. Each of the three pairs of guys securing the rhombic antenna poles should be attached at equidistant points (120° apart). c. The necessary guy kits for this construction have been requisitioned. 5. At such time as it can be clearly determined that there will be funds available which are not necessary to complete the project as it is now planned, you may resubmit your plan for maids' quarters, a recreation building and a garage, or for whatever portion of such project as remains necessary after the possibilities of using local expedients described in references a and b have been exhausted.	the Okinawa plans and are repeated here as a matte	000110 1011011 01
rhombic antenna poles should be attached at equidistant points (120° apart). c. The necessary guy kits for this construction have been requisitioned. 5. At such time as it can be clearly determined that there will be funds available which are not necessary to complete the project as it is now planned, you may resubmit your plan for maids' quarters, a recreation building and a garage, or for whatever portion of such project as remains necessary after the possibilities of using local expedients described in references a and b have been exhausted.	pole).	
5. At such time as it can be clearly determined that there will be funds available which are not necessary to complete the project as it is now planned, you may resubmit your plan for maids' quarters, a recreation building and a garage, or for whatever portion of such project as remains necessary after the possibilities of using local expedients described in references a and b have been exhausted.	rhombic antenna poles should be attached at e	
be funds available which are not necessary to complete the project as it is now planned, you may resubmit your plan for maids' quarters, a recreation building and a garage, or for whatever portion of such project as remains necessary after the possibilities of using local expedients described in references a and b have been exhausted.	and the second s	truction have
	be funds available which are not necessary to comp it is now planned, you may resubmit your plan for recreation building and a garage, or for whatever project as remains necessary after the possibiliti	plete the project as maids' quarters, a portion of such les of using local
· · · · · · · · · · · · · · · · · · ·		

CONFIDENTIAL

Declassified in Part - Sanitized Copy Approved for Release 2012/10/31 : CIA-RDP07-00469R000102030001-1

Office Memorandum United States Government

ر کمله ک			•			
ງ ີ:໌	. is	;	DATE:	28	July	1948

FROM : Chief, FBIB

SUBJECT: Operating Instructions

- 1. You will proceed to Okinawa on or about 15 September 1948 for the purpose of activating the Okinawa monitoring station.
- 2. You will be in charge of all FBIB personnel assigned to this project.
- 3. You will be directly responsible to the Chief, FBIB, Washington, D. C.
- 4. You will explore possibilities of recruiting foreign national personnel, the training facilities available, the salary scales commensurate with local laws and customs, and report your findings and recommendations to this Headquarters.

Upon approval by this Headquarters of a Table of Organization and salary scales, you will recruit and employ personnel for the purpose of initiating monitoring operations at Okinawa. It is contemplated that monitoring operations will commence prior to the activation of the FBIB monitoring station in accordance with the priorities indicated on attached coverage schedule.

- 5. You will arrange for the employment of the necessary administrative personnel as required to carry out your mission.
- 6. You will establish necessary contacts with both Army and Air Force personnel on the island of Okinawa, and you will either personally or through the Chief of the Tokyo Bureau, be responsible for the necessary contacts with GHQ FEC.
- 7. You will sign for and assume responsibility for permanent FBIB property, equipment and material.
- 8. You will submit a bi-monthly progress report addressed to the Chief, FBIB, Washington, until activation of the monitoring station, at which time a normal monthly report will be submitted.

L. K. WHITE

25X1

Enclosure: Far East Broadcast Schedule.

Far East T/O

Far Bast Linguist Requirements



28 July 1948

TENTATIVE LINGUIST REQUIREMENTS, FAR EAST BUREAU, FBIB

Language	:	15	Minute	Period	:	: Monitors					
	<u>:</u>			···	:	Mono	•	Multi			
AfghanPersian											
Annamese											
Burmese											
Chinese	·										
Dutch											
English	•										
Hindustani											
Indonesian											
Japanese											
Korean	•										
Russian											
Siamese											
French											
TOTAL	• • •	•									
•											

25X1





Assistant Director for Operations

7 July 1948

Chief, FBIB

Okinawa Project

REF:

Memorandum, dated 28 June 1948, to Chief, Budget and Finance Branch from Assistant Chief, Fiscal Division, subject: Okinewa Inspection Trip

- 1. With reference to comment on page 3 of the reference memorandum under the heading of <u>Data Pertinent to Proposed Site</u> indicating that Bolo Point Airfield is to be reactivated and that certain communications facilities are also to be installed which might interfere with the projected FB IB station, the Army Air Forces were contacted to verify this statement.
- 2. The Air Forces in Washington stated they knew of no such plans but would cable the Far Eastern Forces in Tokyo to determine whether or not any such plans existed of which Washington had not been notified. Lt. Colonel Broadaway of the Army Air Forces telephoned Chief Engineer, FBIB, on 7 July 1948, stating that a reply had been received and that no such plans existed. He quoted the message received by the Air Forces from Okinawa and 7th Wing, Tokyo, as follows:

STAT

"Only in the event of war emergency will Bolo Field be reactivated. Their war defense plans call for reactivation of Bolo Field in event of war emergency.

"Base plans call for joint receiver site in Sobe area and joint transmitter site in Tengan area. Present plans indicate no change in Yontan AACS receiver station and Sobe AACS Transmitter Station."

3. In view of the above information, it is believed that there are no present plans which would interfere with the FBIB station.

LKW: hmq

00/FB

L. K. WHITE

Addressee Orig and 1

RESTRICTED

COPY